A multi-level outdoor deck system is shown at night, illuminated with warm lights. The deck features a pergola structure with a wooden roof and dark posts. A curved staircase with a dark metal railing and integrated lighting leads up to the deck. The deck is furnished with a sofa and chairs. The lower level has a stone wall and a patio area with two chairs. The background is a dense forest of trees.

**Trex**<sup>®</sup>

it's time to  
*go all out*

THIS PAGE  
*decking:* Transcend® in Lava Rock  
*railing:* Transcend in Classic White with  
Fire Pit cocktail rail and glass panels  
*also featuring:* TrexTrim™, Trex® Pergola™,  
Trex® RainEscape® and Trex Outdoor  
Furniture™



**ON THE COVER**  
*decking:* Transcend in Lava Rock & Tiki Torch  
*railing:* Trex Reveal® in Charcoal Black with Trex post sleeves in Vintage Lantern  
*also featuring:* Trex Elevations®, Trex Outdoor Lighting™, Trex Pergola and Trex Outdoor Furniture

THERE'S YOU.

THERE'S THE SPACE  
AROUND YOUR HOUSE.

AND THEN THERE'S TREX®.

And with a little imagination,  
amazing things can happen  
in between.

The possibilities you'll find with Trex begin where form beautifully meets function. As you'll see, Trex is more than just a creator of great decks with proprietary technology. By adding foresight to technique, we've come to stand for outdoor living in the most innovative way possible.

With additions like tough-as-nails white fascia that takes any space up a notch to aluminum railing that expands your view; from steel substructures as advanced as our decking to a new way to get two spaces out of one, you and your outdoors get to apply our expertise not just to decking, but to living.

Call it perfection by design.

*Even our most specific features  
are engineered for beautiful  
outdoor living.*

Trex LIMITED RESIDENTIAL  
25 YEAR WARRANTY + 25 YEAR FADE & STAIN WARRANTY

**INDUSTRY-LEADING WARRANTIES**

As the leader in outdoor living, it's only fitting that our decades-long warranties outlast all others.



**SHELL TECHNOLOGY**

Traditional composite core wrapped in a high-performance protective shell.



**HIDDEN FASTENERS**

The Trex Hideaway® Hidden Fastening System is an option with grooved-edge boards for perfectly consistent spacing and no visible screws on top.




**ALWAYS GREEN**

Our products are made from recycled materials, and our processes? As eco-friendly as they come.

# CONTENTS

*framing, decking & railing*




TREX ELEVATIONS®  
STEEL DECK  
FRAMING 10, 11



TREX TRANSCEND®  
DECKING & RAILING  
SYSTEM 12 - 15



WELCOME  
TO TREX® 6 - 9



TREX TRANSCEND®  
PORCH FLOORING  
& RAILING SYSTEM 16, 17



*lifestyle & decor*



TREX® OUTDOOR LIGHTING™ 26



TREX® FASCIA 27



TREXTRIM™ 28



TREX ENHANCE®  
DECKING 18, 19



TREX SELECT®  
DECKING & RAILING  
SYSTEM 20, 21



TREX REVEAL®  
ALUMINUM RAILING 22, 23



TREX® PERGOLA™ 29



TREX® OUTDOOR  
FURNITURE™ 30



TREX® RAINESCAPE®  
DECK DRAINAGE  
SYSTEM 31



**PRECISE ENGINEERING  
AND HIGH DESIGN MAKE  
A WORLD OF GOODS**



RESOURCES  
& SPECS 32 - 43

WHEN YOU IMAGINE THE VIEW  
FROM YOUR DREAM DECK,

*can you still see the big picture?*

At Trex, we look at things holistically. In fact, we take a systematic approach to perfection with products that deliver a final result that is greater than the sum of its parts. So, technically speaking, your outdoor space is more than just decking. It's also railing. And framing. Possibly a pergola. Lighting. And definitely furniture.

It's a package deal. Without railing, for example, you'd have nowhere to hang wet pool towels. Without steel framing, even the most masterful deck might warp or wave.

Your vision for your own outdoors is reflected in your every choice—right down to the handrails. So whether you're playing host or homebody, Trex® makes it simple to create the kind of outdoors your life demands. Whatever your luxury point, Trex offers more essential options to pair with your decking than you ever even considered.

As you'll see, we don't skimp on the details. That way, you won't either.

*decking:* Transcend® in  
Spiced Rum & Tree House  
*railing:* Transcend in  
Tree House with round  
aluminum balusters  
*also featuring:*  
Trex® Outdoor Lighting™,  
Trex Fascia and  
Trex Outdoor Furniture™



Actually, it *is* easy  
**BEING GREEN**



decking:  
Transcend® in  
Spiced Rum

Trex was built upon green principles and values, from our innovative materials to our sustainable processes. In fact, in all our years in the decking and railing business, we haven't felled a single tree. **Not one.**



decking: Transcend® in Rope Swing  
also featuring: Trex Fascia in Vintage Lantern

Our decking, in addition to reclaimed wood and sawdust, used to be plastic packaging. (We happen to be one of the largest plastic recyclers in the U.S.). Most of our products are made almost completely from recycled materials, which means Trex saves 400 million pounds of plastic and wood from landfills each year.

Plus, Trex strives to make its proprietary manufacturing methods as green as possible. We recycle our factory runoff and refuse back into the manufacturing line, and some plant hydraulics are even powered by vegetable oil. So our decking, railing and steel deck framing contribute to LEED points on any building.

At Trex, we do the extra work to make everyone's leisure time that much more pleasurable. And we've been this way for nearly 20 years—well before green was a buzzword.

### Why?


Because, in the end, all of us want to look out on our decks and know that we've done our part.



All Trex® decking is made from 95% recycled materials.

**Trex Elevations®**  
STEEL DECK FRAMING

perfection built from  
the ground up



framing: Trex Elevations®  
decking: Transcend® in Spiced Rum  
& Vintage Lantern  
railing: Transcend in Classic White  
& Vintage Lantern with  
round aluminum balusters  
also featuring: Trex® Outdoor Lighting™  
and TrexTrim™

When you daydream about your dream deck, chances are you haven't given much thought to what lies beneath it. Even though your deck's substructure may not make the family photos, it's actually the most important part of your new outdoor space. Our high-performance steel beams, joists, tracks and deck support posts create the strongest, straightest and, yes, greenest structures down below.

#### High performance

- » Strong steel enables consistent runs and enhanced stability
- » Non-combustible material with a Class 1A fire rating offers peace of mind
- » Rot- and termite-proof steel lasts much longer than wood
- » CCRR 0186 code compliance research report



#### Perennial beauty

- » Precise engineering enables curved deck designs and flat surfaces
- » Longer spans allow for fewer posts and less obstructed views
- » Neutral brown/grey finish blends with most decking colors

#### Trex® through and through

- » Contains a minimum of 25% recycled steel and is a 100% renewable resource
- » Compliant with the Wildland-Urban Interface and California State and San Diego County fire code
- » Backed by the Trex 25-Year Limited Residential Warranty

Think about it: if you're going to invest in a long-lasting deck, don't you want its support to last just as long?




Trex Elevations was named one of the "101 Best New Products" for 2013 in Professional Builder and Professional Remodeler magazines, and won a 2013 Platinum Award for Design Excellence (ADEX).

#### THE OVERACHIEVER DOWN UNDER

Wood framing splits, warps and shifts over time, leading to an uneven surface that is echoed in the deck boards above. The dimensionally stable steel of Trex Elevations® stays in place, giving you consistently flat decking.

To watch a video demonstration, visit [trex.com](http://trex.com)



Deck built with Trex Elevations steel deck framing



Deck built on a pressure-treated wood substructure

Due to increased risk of corrosion, Trex Elevations® may not be installed (1) within 3,000 ft (914.4 m) of any body of salt water or (2) under the surface or within the splash zone of any body of fresh water. Any such installations shall void the Trex Limited Warranty.


Trex Elevations® Steel Deck Support Posts are manufactured and sold by M. Cohen and Sons, Inc.  
Trex® and Trex Elevations® are trademarks of, and are used by M. Cohen and Sons, Inc., dba The Iron Shop, under license with, Trex Company, Inc.



outperforms, outlasts,  
outdecks all others



*decking:* Transcend in Lava Rock  
*railing:* Transcend in Classic White with Fire Pit cocktail rail and glass panels



*railing:* Transcend in Classic White with Beveled rails in Vintage Lantern and round aluminum balusters  
*decking:* Transcend in Spiced Rum & Vintage Lantern

**UNPARALLELED BEAUTY**

With high-traffic technology and a natural-looking wood-grain finish, Transcend® decking is specially designed to look ageless—even decades after it is installed. Featuring eight rich colors, our decking pairs seamlessly with our railing options to culminate in the deckscape of your dreams.

**HASSLE FREE**

No sanding. No staining. No painting. No kidding. In fact, the only major piece of maintenance your Transcend decking and railing require is washing with soap and water or a pressure washer,\* compliments of the protective Transcend shell technology.

**FADE, STAIN, SCRATCH AND MOLD RESISTANT**

Mother Nature's worst continues to bring out our best. Whether a nasty Nor'easter or a scorching Arizona summer, Transcend maintains its vibrant color and luxurious finish. Same goes for man-made disasters. Wet planter pots, red-wine rings and dragged chaise lounges are no match for the Transcend fade-, stain-, scratch- and mold-resistant shell.

**EARTH FRIENDLY**

Transcend decking is made from 95% recycled materials, from reclaimed wood and sawdust to plastic packaging. And our railing contains at least 40% recycled material.

With a tough-as-nails protective shell, unrivaled low maintenance and wood-grain beauty to match, the one and only Transcend® decking is the ultimate expression of form and function. Pair it with our Transcend railing and you have an unmatched outdoor experience. Together they offer tons of design options, enabling you to put your signature on your outdoor living space with our signature luxury line.



*Like what you don't see? Trex Hideaway® Hidden Fasteners are sub-surface clips that install our decking boards without traditional deck screws, leaving only a smooth, unfettered finish behind.*

\* See Care & Cleaning Guide at [trex.com](http://trex.com)



decking and railing:  
Transcend in  
Tree House &  
Vintage Lantern

**TRANSCEND® DECKING**

**High performance**

- » Engineered with unrivaled fade, stain, scratch and mold resistance
- » Hassle-free maintenance takes the work out of the weekend

**Perennial beauty**

- » Designed in eight rich, lasting colors and a natural-looking wood grain
- » Available in two distinctive styles—premium tropical colors and rich classic earth tones
- » Pairs with Trex Transcend railing in five matching colors, plus Classic White and Charcoal Black

**Trex® through and through**

- » Made from 95% recycled materials
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

**TRANSCEND RAILING**

**High performance**

- » Stands firm with a strong, sturdy look and feel
- » Built with the same incredible durability as Transcend decking—won't rot, warp or splinter

**Perennial beauty**

- » Modular components let you mix and match your customized look with any Trex railing line
- » Pairs perfectly with Transcend decking—also compatible with any decking line

**Trex through and through**

- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

transcend with flying colors

DECKING

PREMIUM TROPICAL COLORS



CLASSIC EARTH TONES



RAILING



Transcend® deck boards are compliant with the Wildland-Urban Interface, California State and San Diego County ASTM E84 Class B Flame Spread and CA SFM 12-7A-4 Underflame and Burning Brand requirements.




# outdoor luxury moves out front

flooring: Transcend porch in Gravel Path  
railing: Transcend in Classic White with colonial spindles  
also featuring: TrexTrim™ and Trex Outdoor Furniture™



## Build a porch (then sit a spell)

- » Hardwood-style flooring
- » Four baluster styles
- » TrexTrim™ ceiling and finishing touches



TrexTrim beadboard ceiling



The cutting-edge, slanted groove board leaves no edges at all, creating a smooth, unfettered finish.

Our advanced system of virtually gap-free porch flooring and Transcend® railing offers the same high performance and unparalleled beauty as all Transcend products, making it the most luxurious welcome mat around.

### High performance

- » Lasts with unrivaled fade, stain, scratch and mold resistance to give your front stoop center stage
- » No sanding, staining or painting means more time spent in rocking chairs

### Perennial beauty

- » An inviting, open-air living room ups the curb appeal of any home
- » Flooring comes in three rich, lasting colors for a personalized look you could lounge in for hours
- » Draws an elegant line around your area with matching railing

### Trex® through and through

- » Pairs perfectly with the complete suite of Trex products for a designer finish that lasts and lasts
- » Porch flooring is backed by the industry-leading Trex® 25-Year Limited Residential Fade & Stain Warranty



Cozy and classic, a beadboard ceiling made of TrexTrim is your porch's finishing touch that won't need refinishing. For more, see page 28.



Fire Pit



Gravel Path



Spiced Rum

Trex Enhance®


even comfort has  
a cutting edge



decking: Enhance in Beach Dune  
railing: Transcend® railing in Classic White with round aluminum balusters  
also featuring: Trex Outdoor Furniture™



decking: Enhance in Clam Shell & Beach Dune  
railing: Transcend® railing in Classic White & Charcoal Black



Available in 2014

Saddle

Clam Shell

Beach Dune

Enhance® is our low-maintenance composite that offers all the charm and none of the trouble of real wood. With its high-definition grain pattern and hidden fasteners, Enhance features a rich, sophisticated finish at a value that only adds to its appeal.

**High performance**

- » High-performance shell is fade, stain and mold resistant
- » Cleans easily with just soap and water or a pressure washer\*
- » Soft, splinter-free finish is comfortable underfoot

**Perennial beauty**

- » Our three versatile colors feature a refined wood grain that adds depth and luxury to any backyard
- » Pairs beautifully with all Trex railing lines—try either a one-color look or a completely unique mix

**Trex® through and through**

- » 95% recycled plastic, wood and sawdust keeps it green
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

**COMPATIBLE WITH ALL TREX® RAILING**

No outdoor living space is complete without railing that perfectly captures its surroundings. Enhance® decks mix and match with all of our Trex railing lines. For complementary styles that will gain you plenty of compliments, check out [trex.com](http://trex.com) for railing pairing suggestions.

**UNFETTERED FINISH WITH TREX HIDEAWAY® HIDDEN FASTENING SYSTEM**

The innovative Trex Hideaway Universal Fasteners are an option with grooved-edge boards for perfectly consistent spacing and no visible screws on top.

**EARTH FRIENDLY**

We don't harvest rainforests to make Trex. In fact, we've never even chopped down a single tree. Enhance decking is made from recycled materials, from reclaimed wood and sawdust to plastic packaging.



While white is a popular way to finish the edge of your deck, Trex goes one better with fascia to match all of our decking colors. See page 27 for more.



it's Trex®, simplified



*decking: Trex Select in Saddle & Woodland Brown  
railing: Trex Select in Classic White  
also featuring:  
TrexTrim™ stair risers*



**TREX SELECT® DECKING**

**High performance**

- » Stands up to both weather and weekend mishaps alike, thanks to its Trex®-sanctioned shell
- » Resists stains and mold better than early-generation composites

**Perennial beauty**

- » Comes in five easygoing colors that pair smartly with any style home
- » Offers a soft, splinter-free finish that's comfortable underfoot

**Trex through and through**

- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

**TREX SELECT RAILING**

**High performance**

- » Won't warp, rot or splinter
- » Never needs painting or staining
- » Installs easily and quickly with an external bracket system


**Perennial beauty**

- » Mix and match Classic White rails and balusters with Trex post sleeves, post sleeve caps and post sleeve skirts in any of our seven colors
- » Versatile white complements any decking or house color to create luxe outdoor living spaces

**Trex through and through**


- » Designed for the DIY homeowner
- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

With such an easy design scheme, Trex Select® decking and railing adds our legendary luxury to your home more affordably than ever. While Trex Select decking features our hallmark high-performance shell technology and nature-inspired colors, the complementary white railing is a simple solution for a clean finish. Now more than ever, you can complete your high-caliber outdoor living system without compromise.





minimalist style,  
maximum strength



*railing: Reveal in Charcoal Black with Trex posts in Vintage Lantern  
decking: Transcend in Tiki Torch & Lava Rock*



*railing: Reveal in Classic White  
decking: Transcend® in Gravel Path*

**High performance**

- » Aluminum possesses unparalleled strength with minimal geometry
- » Powder coating allows the aluminum to retain color and resist corrosion
- » Washes clean with soap and water for low maintenance
- » Offered with an array of bracket options for easy installation


**Perennial beauty**


- » Perfect for a sleek, contemporary aesthetic in any setting
- » Increases visibility to maximize scenic views
- » Monochromatic design works with all types of projects
- » Two baluster options (square and round) and two post choices (aluminum posts and composite post sleeves) available
- » Over-the-post option creates a continuously graspable handrail

**Trex® through and through**

- » Compatible with all Trex decking lines—not to mention stone patios, concrete porches and more
- » Multiple post options for residential and commercial applications
- » Backed by the Trex Reveal® Railing Limited Warranty\*
- » Aluminum is a 100% recyclable, renewable resource

Whether your favorite view is the city skyline, purple mountain majesties or galaxies far, far away, Trex Reveal® aluminum railing makes it a sight to behold. Sleek and minimalist, Trex Reveal aluminum railing is specially crafted to complete your deck while emphasizing the view beyond it. Reveal is hallmark Trex®, with sleek-yet-sturdy construction that easily spans long lengths for panoramic stretches. It can also be used across the entire Trex decking line, giving you a perfect stylistic alternative to pair with the deck of your dreams.





1 Transcend® decking in Spiced Rum & Vintage Lantern works dynamically with a white pergola. Transcend railing in Classic White & Vintage Lantern with round aluminum balusters completes the look.

2 With the support of Trex Elevations® steel deck framing, Transcend decking's even finish in Tiki Torch stays festive for decades.

3 An Enhance® deck in Clam Shell and Beach Dune invokes a summer escape, no matter the season. Shown here with Transcend Classic White and Charcoal Black railing.

4 For a more natural wood feel, Transcend decking in Vintage Lantern pairs nicely with Tree House.

5 Transcend decking in Spiced Rum fits with any style, helping you to express yourself through your space.

6 A Transcend Classic White post cap light can highlight the elegant beauty of a Beveled top rail day or night.

7 Trex Select® railing is a classic, sturdy addition to any outdoor space.

8 Your outdoor oasis awaits with Transcend decking in Spiced Rum & Vintage Lantern and railing in Classic White & Vintage Lantern.

9 With Transcend Gravel Path flooring and Classic White railing and trim, the perfect porch is just a rocking chair away.

10 Transcend decking in Fire Pit creates the perfect place for the ultimate sunset-viewing experience.

11 Transcend decking and railing in Gravel Path can help create your own breezy backyard resort.




12 Trex Reveal® railing highlights any view and looks sharp with Transcend Vintage Lantern post sleeves and Transcend Lava Rock decking.

13 No matter the space, Transcend decking in Vintage Lantern & Tree House offers a winning combination, especially when matched with Classic White railing.

14 With the striking appearance of tropical hardwood, Transcend decking in Spiced Rum evokes the tropics no matter how far inland.


TREX *is the new*  
GOING OUT

4



# Trex® Outdoor Lighting™

the bright idea



With the right light, you can take any outdoor space from invisible to inviting. That's why Trex has expanded our lighting offering to cover the whole landscape. Trex® Outdoor Lighting™ enhances curb appeal with energy-efficient illumination that makes for safer nighttime strolls and impressive deckside ambience. Best of all, the lights install in a snap and disappear into their surroundings for a truly sophisticated look.

**DECK LIGHTING**

- » Recessed deck lights
- » Stair riser lights
- » Post cap lights
- » Deck rail lights

**LANDSCAPE LIGHTING**

- » Well lights
- » Path lights
- » Multifunction lights
- » Spotlights

*Both deck lighting and landscape lighting are compatible with the Trex LightHub™ connection system—a simple way to set up and control your lights.*

*deck lighting: Stair riser lights, post cap lights and deck rail lights  
landscape lighting: Well lights and spotlights*

**High performance**

- » Energy-efficient Cree® LEDs give off long-lasting illumination
- » Dimmable glow matches the mood of any outdoor party or dinner
- » Remains weather-proof and salt air resistant in the toughest climates
- » Offers total lighting control via timer and optional dimmer with remote

**Perennial beauty**

- » Sophisticated fixtures create custom lighting effects and designs
- » Ambient light improves the safety of paths and stairways
- » Out of sight during the day, beautiful light every night
- » Available in a variety of colors to complement any outdoor space

**Trex® through and through**

- » Part of a complete Trex package
- » Trex LightHub™ connection system makes set-up a snap for DIYers
- » Lighting builds into new decks and landscaping or retrofits into existing spaces
- » Keeps things green with 75% less energy usage than traditional incandescent lighting
- » Protected under warranty for years of outdoor use\*

# Trex® Fascia

we have the edge on your deck



Put the finishing touch on your deck design with fascia and riser boards that match the entire high-performing Trex® lineup.



**High performance**

- » Low maintenance, with no sanding, staining or painting required
- » Superior resistance to fade, stains, rot, mold and termites
- » More impact resistant than cellular PVC

**Perennial beauty**

- » Premium design matches any composite, wood or PVC decking
- » Trex Universal Fascia in White matches practically everything
- » Color fascia matches each Trex decking line: Transcend®, Enhance® and Select®
- » Smart style offers a low sheen, natural wood-grain pattern

**Trex through and through**

- » Constructed from 95% recycled materials
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty
- » Adds sophistication and value to your property



**SIXTEEN MATCHING COLORS & UNIVERSAL FASCIA IN WHITE**

You won't have to compromise on color with a full array of hues that coordinates with all Trex Transcend, Enhance and Select decking.



## trim and proper



TrexTrim™ comes in all the traditional wood profile sizes and moulding options, then does them one better by resisting rotting and splitting. Once up, TrexTrim looks freshly installed for decades to come.



### High performance

- » Proven reliability of free-foam cellular PVC
- » Outstanding workability—cuts, routs, fastens and paints easily
- » Superior resistance to rot, insects and splitting

### Perennial beauty

- » Available in a smooth or wood-grain finish
- » Multiple profiles, including boards, sheets, cornerboards and beadboard
- » Unique release film protects trim from plant to installation

### Trex® through and through

- » Easy maintenance
- » Backed by the TrexTrim Limited Warranty\*

*TrexTrim arrives in a tough, stay-clean release film that stays in place from ship to install. Perfect for reveals that rival even the best home makeover show.*



## above and beyond



Trex® Pergola™ keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that won't crack, rot or chalk—virtually upkeep-free.

### High performance

- » Made from TrexTrim™ which won't rot, split or chalk
- » Paint it—then forget it, for up to 10 years
- » Resistant to rot and insects
- » Engineered to withstand winds up to 160 mph
- » Easy-to-install kits come complete with hardware and instructions

### Perennial beauty

- » Premium designs in a wide range of options and customizable sizes
- » Options include round or square columns
- » Wood-grain or smooth finish
- » Available in attachable or free-standing profiles
- » Choose from our nine Trex® colors or custom match your own—all with the exclusive ColorLast™ finish

### Trex through and through

- » Backed by a 25-Year Limited Manufacturer Warranty
- » Built for the do-it-yourselfer or easily installed by a TrexPro®

|                 |             |               |
|-----------------|-------------|---------------|
| Fire Pit        | Gravel Path | Rope Swing    |
| Vintage Lantern | Tree House  | Classic White |
| Charcoal Black  | Beach Dune  | Clam Shell    |



*Trex Pergola kits were named one of the "101 Best New Products" for 2013 in Professional Builder and Professional Remodeler magazines, and won a 2013 Platinum Award for Design Excellence (ADEX).*



# Trex® Outdoor Furniture™

## deep-seated beauty



Cape Cod collection in Classic White

It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing. Each piece features an ergonomic design superbly crafted with a splinter-free finish for smooth, elegant ease. Plus, true to form, 90% of Trex® Outdoor Furniture™ comes from recycled material. So it's used to being one with nature.

### High performance

- » No staining, sealing, painting or refinishing—ever
- » Laughs off brutal sunbake and ignores withering salt spray
- » Stain-, spill- and rot-proof too

### Perennial beauty

- » Distinctive colors you can mix and match with all decking and railing
- » Boasts ergonomic design and a splinter-free finish for all-day comfort
- » Colorful Sunbrella® cushions and pillows add flourish to your furniture
- » Signature Trex curves coordinate beautifully with our decks

### Trex® through and through

- » Unique signature designs, exclusive to Trex
- » Over 90% recycled materials keep things one with nature
- » Five-Year Limited Warranty means guaranteed weatherproofing
- » The only Trex you get to keep when you move



# Trex® RainEscape®

DECK DRAINAGE SYSTEM

## outwits the elements



Trex RainEscape creates a dry room below your deck also featuring: TrexTrim beadboard ceiling, Trex Fascia wall in Gravel Path and Trex Outdoor Furniture™

The unique Trex® RainEscape® under-deck drainage system keeps rain, spills and snow melt from dripping through the decking boards above, creating a dry room below.

### High performance

- » Clever trough system whisks water out through its own gutters
- » No leaks, no sitting water
- » Installs easily with utility knife, staple gun and caulk

### Perennial beauty

- » Invisible channeling system installs between an upstairs deck and downstairs ceiling
- » Enables the worry-free outfitting of entertainment systems, speakers and lighting
- » Finishes with a TrexTrim™ beadboard ceiling for a refined look


### Trex® through and through

- » Compatible with Trex Elevations®
- » Backed by an industry-leading 20-Year Limited Residential Warranty



Trex RainEscape with Trex Elevations





## THE NEXT STEP? WALKING ONTO YOUR NEW DECK.

You've seen what's possible with Trex®. Now let's figure out how we can help you make it happen.

### FIRST COMES VIRTUAL REALITY. THEN REALITY REALITY.

Start with our online resources. You'll find useful tools and features to help make your outdoor-living visions see the light of day—including an iPad app you can use to design your deck. Download and start dreaming.



### FIND A TREXPRO®

We offer the largest nationwide network of TrexPro independent contractors. They not only know our products inside and out and have vast experience on the finer points of installation, they also can provide invaluable insight. To help find a contractor near you and see customer reviews, visit [trex.com](http://trex.com).

### DIY, TOGETHER

Trex has always felt a kinship with the independent minded, which is just one of the reasons we've designed our projects to be easy to install. If you can work with wood, you'll love working with Trex. That said, there are many questions—from time commitments to zoning issues—you need to address before you decide to go it alone. To get started on your project, consult our online questionnaire.



The Trex Visualizer app has earned Gold Distinction from the Brand Builder Awards.

Find all this and more at [trex.com](http://trex.com). And should you need us, we're always available at 1-800-BUY-TREX or [question@trex.com](mailto:question@trex.com)

## Trex Elevations®

| COMPONENT   | DESCRIPTION  | ITEM NUMBER  |
|---|--|--|
| Track   | <br>1-1/4" x 8" x 12'— Track<br>1-1/4" x 8" x 16'— Track<br>1-1/4" x 8" x 20'— Track  | CGOQ0812ET60<br>CGOQ0816ET60<br>CGOQ0820ET60   |
| Beam  | <br>2" x 8" x 12' — Beam<br>2" x 8" x 16' — Beam<br>2" x 8" x 20' — Beam  | CG020812EB20<br>CG020816EB20<br>CG020820EB20   |
| Joist   | <br>1-5/8" x 8" x 8' — Joist<br>1-5/8" x 8" x 9' — Joist<br>1-5/8" x 8" x 10' — Joist<br>1-5/8" x 8" x 11' — Joist<br>1-5/8" x 8" x 12' — Joist<br>1-5/8" x 8" x 13' — Joist<br>1-5/8" x 8" x 14' — Joist<br>1-5/8" x 8" x 15' — Joist<br>1-5/8" x 8" x 16' — Joist<br>1-5/8" x 8" x 17' — Joist<br>1-5/8" x 8" x 18' — Joist<br>1-5/8" x 8" x 19' — Joist<br>1-5/8" x 8" x 20' — Joist | CG020808EJ50<br>CG020809EJ50<br>CG020810EJ50<br>CG020811EJ50<br>CG020812EJ50<br>CG020813EJ50<br>CG020814EJ50<br>CG020815EJ50<br>CG020816EJ50<br>CG020817EJ50<br>CG020818EJ50<br>CG020819EJ50<br>CG020820EJ50 |
| Beam End Cap  | <br>2-1/8" x 8-1/8"— Beam End Cap (40/box)  | ELVENDCAP40  |
| Adjustable Mid-Span Block                                   | <br>10 sets   | ELVMIDSPANBLOCK  |
| Adjustable Beam Block                                       | <br>10 sets   | ELVBEAMBLOCK   |
| Deck Support Post   | <br>3-1/2" x 3-1/2" x 10' — Deck Support Post<br>5-1/2" x 5-1/2" x 10' — Deck Support Post  | <a href="http://www.trexdeckpost.com">www.trexdeckpost.com</a>   |
| Elevations Universal Connector Clip<br>(glass-filled nylon) | <br>50 sq. ft. (4.6 sq. m) box  | ELVUNIVCLIP  |
| Elevations Start Clip<br>(stainless steel)                  | <br>400 sq. ft. (37.2 sq. m) bag  | ELVSTARTCLIP   |



- A. Beam
- B. Joist
- C. Track (Ledger)
- D. Deck Support Post




# Trex® Decking, Porch Flooring & Fascia

| PROFILE  | DESCRIPTION                   | ITEM NUMBER           | COLORS                         |                                |
|--|-------------------------------|-----------------------|--------------------------------|--------------------------------|
| <b>1" Square Edge Board</b><br>[1" x 5.5" (25 mm x 140 mm) actual dimensions]<br>[.875" x 5.5" (22 mm x 140 mm) Select actual dimensions]  | 1 x 6 x 12' Transcend®        | XX010612TS48          | LR, SR, TT, FP, GP, RS, TH, VL |                                |
|  | 1 x 6 x 16' Transcend         | XX010616TS48          |                                |                                |
|  | 1 x 6 x 20' Transcend         | XX010620TS48          |                                |                                |
|  |                               | 1 x 6 x 12' Enhance®  | XX010612ES48                   | BD, CS, SD                     |
|  |                               | 1 x 6 x 16' Enhance   | XX010616ES48                   |                                |
|  |                               | 1 x 6 x 20' Enhance   | XX010620ES48                   |                                |
|  |                               |                       | 7/8 x 6 x 12' Select®          | XX010612SS64                   |
| 7/8 x 6 x 16' Select   |                               |                       | XX010616SS64                   |                                |
| 7/8 x 6 x 20' Select   |                               |                       | XX010620SS64                   |                                |
| <b>1" Grooved Edge Board</b><br>[1" x 5.5" (25 mm x 140 mm) actual dimensions]<br>[.875" x 5.5" (22 mm x 140 mm) Select actual dimensions]   |                               | 1 x 6 x 12' Transcend | XX010612TG48                   | LR, SR, TT, FP, GP, RS, TH, VL |
|  | 1 x 6 x 16' Transcend         | XX010616TG48          |                                |                                |
|  | 1 x 6 x 20' Transcend         | XX010620TG48          |                                |                                |
|  |                               | 1 x 6 x 12' Enhance   | XX010612EG48                   | BD, CS, SD                     |
|  |                               | 1 x 6 x 16' Enhance   | XX010616EG48                   |                                |
|  |                               | 1 x 6 x 20' Enhance   | XX010620EG48                   |                                |
|  |                               | 7/8 x 6 x 12' Select  | XX010612SG64                   | MB, PG, SD, WG, WB             |
| 7/8 x 6 x 16' Select   |                               | XX010616SG64          |                                |                                |
| 7/8 x 6 x 20' Select   |                               | XX010620SG64          |                                |                                |
| <b>1" Grooved Porch Floor Board</b><br>[1" x 4.25" (25 mm x 108 mm) actual face dimensions;<br>1" x 4.5" (25 mm x 114 mm) actual overall dimensions]<br>Can also be used for decking applications. | 1 x 4.5 x 10' Transcend Porch | XX010510TP60          | FP, GP, SR                     |                                |
|  | 1 x 4.5 x 12' Transcend Porch | XX010512TP60          |                                |                                |
|  | 1 x 4.5 x 16' Transcend Porch | XX010516TP60          |                                |                                |
| <b>1" x 8" Fascia</b><br>[.75" x 7.25" x 12" (19 mm x 184 mm x 3660 mm) actual dimensions]   | 1 x 8 x 12' Transcend         | XX010812TS60          | LR, SR, TT, FP, GP, RS, TH, VL |                                |
|  | 1 x 8 x 12' Enhance           | XX010812ES60          | BD, CS, SD                     |                                |
|  | 1 x 8 x 12' Select            | XX010812SS60          | MB, PG, SD, WG, WB             |                                |
|  | 1 x 8 x 12' Universal         | WW010812ES60          | WHITE                          |                                |
| <b>1" x 12" Fascia</b><br>[.75" x 11.25" x 12" (19 mm x 286 mm x 3660 mm) actual dimensions]   | 1 x 12 x 12' Transcend        | XX011212TS40          | LR, SR, TT, FP, GP, RS, TH, VL |                                |
|  | 1 x 12 x 12' Enhance          | XX011212ES40          | BD, CS, SD                     |                                |
|  | 1 x 12 x 12' Select           | XX011212SS40          | MB, PG, SD, WG, WB             |                                |
|  | 1 x 12 x 12' Universal        | WW011212ES40          | WHITE                          |                                |
| <b>2" Square Edge Board</b><br>[actual dimensions:<br>Transcend 2x4: 1.375" x 3.5" (35 mm x 89 mm)<br>Transcend 2x6: 1.375" x 5.5" (35 mm x 140 mm)<br>Select 2x6: 1.375" x 5.5" (35 mm x 140 mm)  | 2 x 4 x 16' Transcend         | XX020416TS48          | FP, GP, TH, VL                 |                                |
|  | 2 x 6 x 16' Transcend         | XX020616TS32          |                                |                                |
|  | 2 x 6 x 20' Transcend         | XX020620TS32          | MB, PG, SD, WB                 |                                |
|  | 2 x 6 x 12' Select            | XX020612SS32          |                                |                                |
|  | 2 x 6 x 16' Select            | XX020616SS32          |                                |                                |
|  | 2 x 6 x 20' Select            | XX020620SS32          |                                |                                |

|                    |  |  |   |   |   |
|--------------------|--|--|---|---|---|
| XX = COLOR PREFIX: | LR Lava Rock<br>SR Spiced Rum<br>TT Tiki Torch | FP Fire Pit<br>GP Gravel Path<br>RS Rope Swing | TH Tree House<br>VL Vintage Lantern<br>MB Madeira | PG Pebble Grey<br>SD Saddle<br>WG Winchester Grey | WB Woodland Brown<br>BD Beach Dune<br>CS Clam Shell |
|--------------------|--|--|---|---|---|

| TREX HIDEAWAY® HIDDEN FASTENING SYSTEM  | DESCRIPTION   | ITEM NUMBER             |
|---|---|-------------------------|
| Connector Clip (stainless steel)        | 50 sq. ft. (4.6 m <sup>2</sup> ) box<br>500 sq. ft. (46.5 m <sup>2</sup> ) bucket | CONNECTCLIP<br>CLIPPAIL |
| Gun Pail                                | 500 sq. ft. (46.5 m <sup>2</sup> ) bucket with collated pneumatic screws          | GUNCLIP                 |
| Start Clip (stainless steel)            | 400 sq. ft. (37 m <sup>2</sup> ) bag  | STARTERCLIP             |
| Universal Starter Clip                  | 400 sq. ft. (37 m <sup>2</sup> ) bag  | UNIVSTARTCLIP           |
| Universal Fastener (glass-filled nylon) | 50 sq. ft. (4.6 m <sup>2</sup> ) box<br>500 sq. ft. (46.5 m <sup>2</sup> ) bucket | UNIVCONCLIP<br>DA00002  |
| Router Bit                              | Router Bit  | ROUTBIT                 |



## Trex Post Sleeves, Caps & Skirts

● These components can be used as steps 1 & 2 for all Trex railing lines.

| STEP   | COMPONENT         | DESCRIPTION   | ITEM NUMBER   |
|--|-------------------|---|---|
| 1  | Post Sleeve       | 4" x 4" x 39" Post Sleeve<br>[4.45" x 4.45" x 40" (113 mm x 113 mm x 1016 mm) external dimensions]  | XX040439APS   |
|  |                   | 4" x 4" x 108" Post Sleeve<br>[4.45" x 4.45" x 108" (113 mm x 113 mm x 2743 mm) external dimensions]  | XX0404108APS  |
|  |                   | 6" x 6" x 39" Post Sleeve<br>[5.5" x 5.5" x 39" (140 mm x 140 mm x 991 mm) external dimensions]   | WT060639APS   |
|  |                   | 6" x 6" x 108" Post Sleeve<br>[5.5" x 5.5" x 108" (140 mm x 140 mm x 2743 mm) external dimensions]  | WT0606108APS  |
| Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount. |                   |   |   |
| 2a   | Post Sleeve Cap   | Flat 4" x 4" Post Sleeve Cap (12/box)<br>Pyramid 4" x 4" Post Sleeve Cap (12/box)<br>[4.55" x 4.55" (114 mm x 114 mm) internal dimensions]  | XXSQCAP4X4<br>XXPYCAP4X4                                |
|  |                   | Flat 6" x 6" Post Sleeve Cap (12/box)<br>Pyramid 6" x 6" Post Sleeve Cap (12/box)<br>[5.6" x 5.6" (114 mm x 114 mm) internal dimensions]  | WTSQCAP6X6<br>WTPYCAP6X6                                |
| Also available with LED lighting. See page 39.   |                   |   |   |
| 2b   | Post Sleeve Skirt | 4" x 4" Post Sleeve Skirt (12/box)<br>[4.55" x 4.55" (114 mm x 114 mm) internal dimensions]<br>6" x 6" Post Sleeve Skirt (12/box)<br>[5.6" x 5.6" (114 mm x 114 mm) internal dimensions]                                    | XXSKIRT4X4<br>WTSKIRT6X6                                |
| ACCESSORY  | Post Mount        | Post Surface Mount for 36" (914 mm) Rail Height (1/box)<br>Post Surface Mount for 42" (1067 mm) Rail Height (1/box)<br>Post Surface Mount Hardware—Concrete (10 kits/box)<br>Post Surface Mount Hardware—Wood (10 kits/box) | POSTMOUNT36<br>POSTMOUNT42<br>POSTHDWCONC<br>POSTHDWOOD |
| ACCESSORY  | Foot Block        | Adjustable Foot Blocks (50/box)—White<br>Adjustable Foot Blocks (50/box)—Colored  | RWFTBLK<br>XXFTBLK                                      |

|                    |                                       |                               |                                |                    |
|--------------------|---------------------------------------|-------------------------------|--------------------------------|--------------------|
| XX = COLOR PREFIX: | WT Classic White<br>BK Charcoal Black | FP Fire Pit<br>GP Gravel Path | RS Rope Swing<br>TH Tree House | VL Vintage Lantern |
|--------------------|---------------------------------------|-------------------------------|--------------------------------|--------------------|

# Trex Transcend® Railing

- Transcend is either a 5-step or 3-step process. Choose Trex® post sleeves, caps and skirts (steps 1 & 2). Then choose each component separately for a custom design (5-step).

| STEP | COMPONENT   | DESCRIPTION  | ITEM NUMBER  |
|------|---|--|--------------|
| 3a   | Top & Bottom Rails<br>In this step, two rails (1 top, 1 bottom) must be selected. | 6' Crown Top Rail  | XXCROWNTR06  |
|      |   | 8' Crown Top Rail  | XXCROWNTR08  |
| 3b   |  | 6' Universal Top/Bottom Rail   | XXUNIVTBR06  |
|      |   | 8' Universal Top/Bottom Rail   | XXUNIVTBR08  |
|      |   | 6' Beveled Top/Bottom Rail   | XXBEVELTBR06 |
|      |   | [6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length] |              |

| 4   | Balusters/Spindles  | DESCRIPTION  | ITEM NUMBER                              |
|---|---|--|--|
| See chart below for number of balusters needed to complete each railing section.              |  | Square Balusters for 36" Rail Height (16/pack)<br><i>[1.418" x 1.418" x 30.375" (36 mm x 36 mm x 772 mm) actual dimensions]</i>  | XX020230SBK                              |
|   |   | Square Balusters for 42" Rail Height (16/pack)<br><i>[1.418" x 1.418" x 36.375" (36 mm x 36 mm x 924 mm) actual dimensions]</i>  | XX020236SBK                              |
|   |   | Colonial Spindles for 36" Rail Height (16/pack)<br><i>[1.418" x 1.418" x 30.375" (36 mm x 36 mm x 772 mm) actual dimensions]</i> | WT020230CSP                              |
|   |   | Colonial Spindles for 42" Rail Height (16/pack)<br><i>[1.418" x 1.418" x 36.375" (36 mm x 36 mm x 924 mm) actual dimensions]</i> | WT020236CSP                              |
|   |   | Round Aluminum Balusters for 36" Rail Height (20/pack)<br><i>[.75" x 30.25" (19 mm x 768 mm) actual dimensions]</i>              | XXTA30RBK                                |
|   |   | Round Aluminum Balusters For 42" Rail Height (20/pack)<br><i>[.75" x 36.25" (19 mm x 921 mm) actual dimensions]</i>              | XXTA36RBK                                |
|   |   | Square Aluminum Balusters for 36" Rail Height (20/pack)<br><i>[.75" x 30.25" (19 mm x 768 mm) actual dimensions]</i>             | XXTA30SBK<br><i>Available early 2014</i> |
|   |   | Square Aluminum Balusters For 42" Rail Height (20/pack)<br><i>[.75" x 36.25" (19 mm x 921 mm) actual dimensions]</i>             | XXTA36SBK<br><i>Available early 2014</i> |
|   |   | 6' Accessory Infill Kit for Square/Colonial Balusters—Horizontal   | XXSQHIK06                                |
|   |   | 6' Accessory Infill Kit for Square/Colonial Balusters—Stair  | XXSQSIK06                                |
|   |   | 8' Accessory Infill Kit for Square/Colonial Balusters—Horizontal   | XXSQHIK08                                |
|   |   | 8' Accessory Infill Kit for Square/Colonial Balusters—Stair  | XXSQSIK08                                |
| 6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal                               | XXRDHIK06   |  |  |
| 6' Accessory Infill Kit for Round Aluminum Balusters—Stair                                    | XXRDSIK06   |  |  |
| 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal                               | XXRDHIK08   |  |  |
| 8' Accessory Infill Kit for Round Aluminum Balusters—Stair                                    | XXRDSIK08   |  |  |
| 6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal                              | Available early 2014  |  |  |
| 6' Accessory Infill Kit for Square Aluminum Balusters—Stair                                   | Available early 2014  |  |  |
| 8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal                              | Available early 2014  |  |  |
| 8' Accessory Infill Kit for Square Aluminum Balusters—Stair                                   | Available early 2014  |  |  |
| 6' Glass Panel Accessory Kit <i>[Glass panel mounting hardware: glass panel not included]</i> | XXGLIK06  |  |  |

| 5 | Accessory Infill Kit   | DESCRIPTION   | ITEM NUMBER |
|---|--|---|-------------|
|   | » 2 Baluster Spacers<br>» Adjustable Foot Block<br>» Mounting Hardware | [6' Rail: 67.5" (1715 mm) actual length;<br>8' Rail: 91.5" (2324 mm) actual length] |             |

| ACCESSORY  | Transcend Accessories | DESCRIPTION   | ITEM NUMBER  |
|--|-----------------------|---|--------------|
| All accessories include a quantity of 12 per box unless otherwise noted. |                       | Mounting Hardware for Cut Rails—Horizontal                          | XXHZACCYKIT  |
|  |                       | Mounting Hardware for Cut Rails—Stair                               | XXSTACCYKIT  |
|  |                       | Transcend RSB Bracket Pack—Horizontal (24/box)                      | TSHBRACKET   |
|  |                       | Transcend RSB Bracket Pack—Stair (24/box)                           | TSSBRACKET   |
|  |                       | 0 Degree Rail Gasket Pack—Horizontal                                | XX00HGASK    |
|  |                       | 0 Degree Rail Gasket Pack—Stair                                     | XX00SGASK    |
|  |                       | 22.5 Degree Gasket Pack <i>(for Crown/Universal/Bevel)</i>          | XX22HGASK    |
|  |                       | 45 Degree Birdsmouth Gasket Pack <i>(for 4 x 4 Crown/Universal)</i> | XX45RSBADAPK |
|  |                       | 45 Degree Gasket Pack <i>(for 4 x 4 or 6 x 6 Bevel)</i>             | XX45BEVGASK  |
|  |                       | 45 Degree Gasket Pack <i>(for 6 X 6 Crown/Universal)</i>            | WT45HGASK    |

- Or simply choose a rail & baluster kit in Classic White (3-step).

| 3 | Rail & Baluster Kit   | DESCRIPTION  | ITEM NUMBER |
|---|---|--|-------------|
|   | » Crown Top Rail<br>» Universal Bottom Rail<br>» Square Balusters<br>» Baluster Spacers<br>» Adjustable Foot Block<br>» Mounting Hardware | 6' x 36" Rail & Baluster Kit—Horizontal  | WT0636HRK   |
|   |   | 6' x 36" Rail & Baluster Kit—Stair   | WT0636SRK   |
|   |   | 8' x 36" Rail & Baluster Kit—Horizontal  | WT0836HRK   |
|   |   | 8' x 36" Rail & Baluster Kit—Stair   | WT0836SRK   |
|   |   | [6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length] |             |

|                    |                   |                |               |                                  |
|--------------------|-------------------|----------------|---------------|----------------------------------|
| XX = COLOR PREFIX: | WT Classic White  | FP Fire Pit    | RS Rope Swing | VL Vintage Lantern               |
|                    | BK Charcoal Black | GP Gravel Path | TH Tree House | BZ Bronze <i>(aluminum only)</i> |

# Trex Select® Railing

- Select is a 3-step process. Choose Trex® post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).

| STEP | COMPONENT  | DESCRIPTION  | ITEM NUMBER |
|------|--|--|-------------|
| 3    | Rail & Baluster Kit<br>» Top Rail<br>» Bottom Rail<br>» Square Balusters<br>» Adjustable Foot Block<br>» Hardware Pack | 6' x 36" Rail & Baluster Kit—Horizontal  | WT0636HSELK |
|      |  | 6' x 36" Rail & Baluster Kit—Stair   | WT0636SSELK |
|      |  | 8' x 36" Rail & Baluster Kit—Horizontal  | WT0836HSELK |
|      |  | 8' x 36" Rail & Baluster Kit—Stair   | WT0836SSELK |
|      |  | [6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length] |             |

| ACCESSORY | Select Accessories | DESCRIPTION  | ITEM NUMBER |
|-----------|--------------------|--|-------------|
|           |                    | Mounting Hardware for Cut Rails—Horizontal (10 kits/box) | WTHSEL CUT  |
|           |                    | Mounting Hardware for Cut Rails—Stair (10 kits/box)      | WTSSEL CUT  |
|           |                    | 45 Degree Adapter Kit (10 kits/box)                      | WTSEL45ADP  |

| ACCESSORY  | Bulk Packs   | DESCRIPTION   | ITEM NUMBER   |   |               |
|--|--|---|---------------|---|---------------|
| All accessories include a quantity of 10 per box unless otherwise noted. |  | 6' Top Rail—Horizontal  | WTSELHTR06    |   |               |
|  |  | 6' Top Rail—Stair   | WTSELSTR06    |   |               |
|  |  | 8' Top Rail—Horizontal  | WTSELHTR08    |   |               |
|  |  | 8' Top Rail—Stair   | WTSELSTR08    |   |               |
|  |  | 6' Bottom Rail—Horizontal   | WTSELHBR06    |   |               |
|  |  | 6' Bottom Rail—Stair  | WTSELSBR06    |   |               |
|  |  | 8' Bottom Rail—Horizontal   | WTSELHBR08    |   |               |
|  |  | 8' Bottom Rail—Stair  | WTSELSBR08    |   |               |
|  |  |   |               | [6' Rail: 67.5" (1715 mm) actual length; 8' Rail: 91.5" (2324 mm) actual length]  |               |
|  |  |   |               | Square Balusters For 36" Rail Height (16/pack)<br><i>[1.125" x 1.125" x 32" (29 mm x 29 mm x 813 mm) actual dimensions]</i> | WT121230SELBK |
|  |  | Square Balusters For 42" Rail Height (16/pack)<br><i>[1.125" x 1.125" x 38" (29 mm x 29 mm x 965 mm) actual dimensions]</i> | WT121236SELBK |   |               |

# Trex ADA Compliant Handrail

|    | COMPONENT   | ITEM NUMBER |
|----|---|-------------|
| 1  | 104" (2642 mm) Straight Rail, 1.5" (38 mm) diameter (PVC with Aluminum Stiffener) | BKADARAIL   |
| 2  | Wall Return w/Cover Plate (PVC with Aluminum Stiffener)                           | BKADA90WRK  |
| 3  | Straight Wall Return  | BKADASWRK   |
| 4  | Handrail Bracket w/Screws & Cap   | BKADARBK    |
| 5  | 90 Degree Corner (PVC)  | BK90CORN    |
| 6  | End Loop (PVC with Aluminum Stiffener)  | BKADALOOP   |
| 7  | Post Return ("Candy Cane") (PVC with Aluminum Stiffener)                          | BKADARET    |
| 8  | Straight Joiner (Aluminum: not visible in diagram)                                | STRJOIN     |
| 9  | Adjustable Joiner (Aluminum: not visible in diagram)                              | ADJOIN      |
| 10 | Joint Ring (Plastic)  | BKJOINRING  |
| 11 | Rail End Cap (Plastic)  | BKADACAP    |



Available in Charcoal Black only.

# Trex Reveal® Aluminum Railing

● Choose either Reveal posts or Trex® post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).

| STEP  | COMPONENT   | DESCRIPTION  | ITEM NUMBER         |  |             |
|---|---|--|---------------------|--|-------------|
| 1+2   | Aluminum Post with Cap & Skirt<br>Aluminum Crossover Post | 2" x 2" x 37" Post w. Cap & Skirt—Horizontal<br><i>[2" x 2" x 37" (51 mm x 51 mm x 940 mm) actual dimensions]</i>                            | XXAL020237AP        |  |             |
|   |   | 2" x 2" x 43" Post w. Cap & Skirt—Horizontal<br><i>[2" x 2" x 43" (51 mm x 51 mm x 1092 mm) actual dimensions]</i>                           | XXAL020243AP        |  |             |
|   |   | 2" x 2" x 53" Post w. Cap & Skirt—Stair (cut-to-length)<br><i>[2" x 2" x 53" (51 mm x 51 mm x 1346 mm) actual dimensions]</i>                | XXAL020253AP        |  |             |
|   |   | 2" x 2" x 36" Crossover Post—Horizontal (includes crossover bracket)<br><i>[2" x 2" x 36" (51 mm x 51 mm x 914 mm) actual dimensions]</i>    | XXAL020236CP        |  |             |
|   |   | 2" x 2" x 42" Crossover Post—Horizontal (includes crossover bracket)<br><i>[2" x 2" x 42" (51 mm x 51 mm x 1067 mm) actual dimensions]</i>   | XXAL020242CP        |  |             |
|   |   | 2.5" x 2.5" x 37" Post w. Cap & Skirt - Horizontal (IRC Compliant)<br><i>[2.5" x 2.5" x 37" (64 mm x 64 mm x 940 mm) actual dimensions]</i>  | XXAL252537RCAP      |  |             |
|   |   | 2.5" x 2.5" x 43" Post w. Cap & Skirt - Horizontal (IRC Compliant)<br><i>[2.5" x 2.5" x 43" (64 mm x 64 mm x 1092 mm) actual dimensions]</i> | XXAL252543RCAP      |  |             |
|   |   | 2.5" x 2.5" x 53" Post w. Cap & Skirt - Stair (IRC Compliant)<br><i>[2.5" x 2.5" x 53" (64 mm x 64 mm x 1346 mm) actual dimensions]</i>      | XXAL252553RCAP      |  |             |
|   |   | 3  | Rail & Baluster Kit | 6' x 36" Rail Kit w. Square Balusters—Horizontal | XXAS0636HRK |
|   |   |  |                     | 6' x 36" Rail Kit w. Square Balusters—Stair      | XXAS0636SRK |
| 8' x 36" Rail Kit w. Square Balusters—Horizontal  | XXAS0836HRK   |  |                     |  |             |
| 8' x 36" Rail Kit w. Square Balusters—Stair   | XXAS0836SRK   |  |                     |  |             |
| 6' x 42" Rail Kit w. Square Balusters—Horizontal  | XXAS0642HRK   |  |                     |  |             |
| 6' x 42" Rail Kit w. Square Balusters—Stair   | XXAS0642SRK   |  |                     |  |             |
| 8' x 42" Rail Kit w. Square Balusters—Horizontal  | XXAS0842HRK   |  |                     |  |             |
| 8' x 42" Rail Kit w. Square Balusters—Stair   | XXAS0842SRK   |  |                     |  |             |
| 6' x 36" Rail Kit w. Round Balusters—Horizontal   | XXAR0636HRK   |  |                     |  |             |
| 6' x 36" Rail Kit w. Round Balusters—Stair  | XXAR0636SRK   |  |                     |  |             |
| 8' x 36" Rail Kit w. Round Balusters—Horizontal   | XXAR0836HRK   |  |                     |  |             |
| 8' x 36" Rail Kit w. Round Balusters—Stair  | XXAR0836SRK   |  |                     |  |             |
| 6' x 42" Rail Kit w. Round Balusters—Horizontal   | XXAR0642HRK   |  |                     |  |             |
| 6' x 42" Rail Kit w. Round Balusters—Stair  | XXAR0642SRK   |  |                     |  |             |
| 8' x 42" Rail Kit w. Round Balusters—Horizontal   | XXAR0842HRK   |  |                     |  |             |
| 8' x 42" Rail Kit w. Round Balusters—Stair  | XXAR0842SRK   |  |                     |  |             |
| <b>Dimensions above are actuals. See below for metrics.</b><br><i>[6' x 36": 72" x 36" (1829 mm x 914 mm) actual dimensions]</i><br><i>[8' x 36": 96" x 36" (2438 mm x 914 mm) actual dimensions]</i><br><i>[6' x 42": 72" x 42" (1829 mm x 1067 mm) actual dimensions]</i><br><i>[8' x 42": 96" x 42" (2438 mm x 1067 mm) actual dimensions]</i> |   |  |                     |  |             |
| ACCESSORY   | Reveal Accessories  | Fixed Bracket—Horizontal (4/pack)  | XXFHBKTAL           |  |             |
|   |   | Fixed Bracket—Stair (4/pack)   | XXFSBKTAL           |  |             |
|   |   | Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom)   | XXSWHBKTAL          |  |             |
|   |   | Swivel Bracket—Stair (2/pack—1 top, 1 bottom)  | XXSWSBKTAL          |  |             |
|   |   | Crossover Bracket—Horizontal (1/pack)  | XXFHCBKTAL          |  |             |
|   |   | Swivel Crossover Bracket—Stair (1/pack)  | XXSWSCBKTAL         |  |             |
|   |   | Compound Swivel Bracket (2/pack—1 top, 1 bottom)   | XXCPDSWBKTAL        |  |             |
|   |   | Aluminum Footblock   | XXALFTBLK           |  |             |

# Trex® Outdoor Lighting™

Landscape Lighting available in 2014

| LIGHTING & DESCRIPTION   | ITEM NUMBER   |
|--|---|
| <b>Pyramid or Flat Post Cap Light</b><br>» 4" x 4" LED Post Cap Light<br><i>[4.55" x 4.55" (114 mm x 114 mm) internal dimensions]</i><br>» 2 Gel Filled Wire Nuts                              | <b>PYRAMID CAPS</b><br>CHARCOAL BLACK: BKPYLEDCAP4X4<br>CLASSIC WHITE: WTPYLEDCAP4X4<br>FIRE PIT: FPPYLEDCAP4X4<br>TREE HOUSE: THPYLEDCAP4X4<br>VINTAGE LANTERN: VLPYLEDCAP4X4<br>GRAVEL PATH: GPPYLEDCAP4X4<br>ROPE SWING: RSPYLEDCAP4X4<br><br><b>FLAT CAPS</b><br>CHARCOAL BLACK: BKSQLEDCAP4X4<br>CLASSIC WHITE: WTSQLEDCAP4X4<br>FIRE PIT: FPSQLEDCAP4X4<br>TREE HOUSE: THSQLEDCAP4X4<br>VINTAGE LANTERN: VLSQLEDCAP4X4<br>GRAVEL PATH: GPSQLEDCAP4X4<br>ROPE SWING: RSSQLEDCAP4X4 |
| <b>Deck Rail Light</b><br>» LED Deck Rail Light<br><i>[2.75" (70 mm) OD]</i><br>» 2 Gel Filled Wire Nuts   | TEXTURED CHARCOAL BLACK: BKLAMPLD<br>TEXTURED BRONZE: BZLAMPLD<br>TEXTURED CLASSIC WHITE: WTLAMPLD  |
| <b>LED Riser 4 Pack</b><br>» 4 LED Riser Lights<br><i>[1.25" (32 mm) OD]</i><br>» 8 Gel Filled Wire Nuts   | TEXTURED CHARCOAL BLACK: BKRISERLED4PK<br>TEXTURED BRONZE: BZRISERLED4PK<br>TEXTURED CLASSIC WHITE: WTRISERLED4PK   |
| <b>Recessed Deck Light 4 Pack</b><br>» 4 LED Recessed Lights<br><i>[1" (25 mm) OD]</i><br>» 8 Gel Filled Wire Nuts   | RECESSLED4PK  |
| <b>Starter Kit</b><br>» 8 LED Riser Lights<br><i>[1.25" (32 mm) OD]</i><br>» Transformer (60W)<br>» Timer<br>» 16 Gel Filled Wire Nuts<br>» Forstner Bit<br><b>Wire not included with kit.</b> | TEXTURED CHARCOAL BLACK: BKRISERLEDSK<br>TEXTURED BRONZE: BZRISERLEDSK<br>TEXTURED CLASSIC WHITE: WTRISERLEDSK  |
| <b>Transformer with Timer</b><br>» Output Voltage: 12VDC<br>» Output Power: 60W or 30W<br>» Output Current: 5A or 2.5A<br>» Photo activated timer  | 5A, 60W: DLTRANSFORMER<br>2.5A, 30W: 2.5DLTRANSFORMER   |
| <b>Dimmer</b><br>» Single channel with remote  | DLDIMMER  |
| <b>1" (25 mm) Forstner Bit — Pack of 6</b>   | DLBIT6PK  |
| <b>Gel Filled Wire Nuts — Pack of 10</b>   | DLWIRENUT10PK   |
| <b>18 GA/2 Wire — 100 ft. (30.48 m) spool</b>  | DLWIRE100FT   |

XX = COLOR PREFIX: BK Charcoal Black BZ Bronze WT Classic White Aluminum railing has a textured finish.



# TREX® LIMITED WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the original purchaser (“Purchaser”) that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex® products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex’s sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a) with respect to Trex® DeckLighting™, the term of the warranty for the LED lights and housing shall be seven (7) years, the term of the warranty for the dimmer, timer and transformer shall be three (3) years, in each case provided that a Trex transformer is used, and any other parts or accessories shall not be warranted, (b) with respect to hardware for the Trex® Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, and (d) this warranty shall not apply to Trex Elevations® steel deck framing, Trex Reveal® aluminum railing and TrexTrim™ (which each have separate warranties).

For purposes of this warranty, a “residential application” shall refer to an installation of the Product on an individual residence, and a “commercial application” shall refer to any installation of the Product other than on an individual residence.

**THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.  
Customer Relations  
160 Exeter Drive  
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex’s installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex’s guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

**UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX’S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2013 Trex Company, Inc.

# TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® AND TREX® FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter “Trex”) warrants to the original end-user purchaser (the “Purchaser”) that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex Fascia, as the case may be (the “Product”) will perform, under normal use and service conditions, as follows:

**Term of Warranty:** The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

**Residential/Commercial Application:** For purposes of this warranty, a “residential application” shall refer to an installation of the Product on an individual residence, and a “commercial application” shall refer to any installation of the Product other than on an individual residence.

**Fade Resistance:** The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

**Stain Resistance:** The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

**Standard Trex Company Limited Warranty:** This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

**Transferability:** With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

## EXCLUSIONS FROM WARRANTY COVERAGE:

**Exposure to Heat:** Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

**Surface Damage:** Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

**Paint or Other Materials Applied to the Product:** If paint or other coating materials are applied to the Product, this warranty will be voided.

**Railing:** This warranty does not cover Trex Transcend® or Trex Select® railing components.

**Other Exclusions:** This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex’s installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex’s guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

## Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser’s expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc.  
Customer Relations  
160 Exeter Drive  
Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex’s sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation). Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

| YEAR OF WARRANTY CLAIM | PERCENTAGE RECOVERY |
|------------------------|---------------------|
| 11                     | 80%                 |
| 12                     | 80%                 |
| 13                     | 80%                 |
| 14                     | 60%                 |
| 15                     | 60%                 |
| 16                     | 60%                 |
| 17                     | 40%                 |
| 18                     | 40%                 |
| 19                     | 40%                 |
| 20                     | 20%                 |
| 21                     | 20%                 |
| 22                     | 20%                 |
| 23                     | 10%                 |
| 24                     | 10%                 |
| 25                     | 10%                 |

**5. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

**UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX’S LIABILITY WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2013 Trex Company, Inc.

# TREX ELEVATIONS® LIMITED WARRANTY

Trex Company, Inc. ("Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex Elevations® steel deck framing components shall be free from material defects in workmanship and materials and will not become structurally unfit, which is defined as corrosion causing a perforation of the component. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

**Salt Water Applications** – Trex Elevations® may not be installed within 3,000 feet of any body of salt water due to increased risk of corrosion. Any such installation shall void this limited warranty.

**Other Water Applications** – Trex Elevations® may not be installed under the surface or within the splash zone of any body of fresh water due to increased risk of corrosion. Any such installation shall void this limited warranty.

**THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.  
Customer Relations  
160 Exeter Drive  
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) defects caused by improper installation or decay caused by fasteners; (2) use of Trex products beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) corrosion caused by factors other than environmental or atmospheric processes; (4) failure to strictly abide by Trex Elevations® standard maintenance practices, as described

below; (5) movement, distortion, collapse or settling of the ground; (6) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (7) improper handling, storage, abuse or neglect of Trex Elevations® products by Purchaser, the transferee or third parties; or (8) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

**UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE TREX ELEVATIONS® PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

### TREX ELEVATIONS® MAINTENANCE REQUIREMENTS:

**1. Observation:** During construction, inspect all components for exposed steel, and cover the exposed area with Trex approved touch up paint in accordance with the Trex Product and Installation Guide. (Trex does not warrant touch up paint due to application variability.) Covering exposed areas with Trex approved touch up paint blends the blemishes into the same unique color of the components.

**2. First Maintenance:** Defined as the physical inspection of components in search of corrosion. Atmospheric and environmental conditions can affect the longevity of Trex Elevations®. Densities of air borne pollutants in certain atmospheres require adjustments in the maintenance and inspection schedules. You should conduct first maintenance within six (6) years after installation for a residential application and four (4) years after installation for a commercial application. If corrosion is identified, immediately begin corrosion management practices.

**3. Inspection Schedule:** After first maintenance, Trex Elevations® components must be inspected for structural integrity every two (2) to five (5) years for a residential application and every two (2) years for a commercial application. Integrity is inspected by tapping along the surface area of the components with a metal tool such as a screwdriver. If flaking of the exterior coat occurs or discrepancies of sound are heard, immediately begin corrosion management practices.

**4. Corrosion Management:** Sand any affected areas to twice the size of the corroded area with 80 grit sand paper. Reapply Trex approved touch up paint to the sanded area.


Copyright © 2013 Trex Company, Inc.

# decking & railing color palette

### TREX TRANSCEND® DECKING




### TREX ENHANCE® DECKING



### TREX SELECT® DECKING




### TREX TRANSCEND RAILING



### TREX REVEAL® ALUMINUM RAILING



### TREX SELECT RAILING



*decking: Transcend® in Spiced Rum  
railing: Transcend in Vintage Lantern  
with round aluminum balusters  
also featuring: Trex® Outdoor Lighting™*

FRAMING | DECKING | RAILING | PORCH | FASCIA | TRIM | LIGHTING | DRAINAGE | FURNITURE | PERGOLA

FIND US ON



# Trex®

OUTDOOR LIVING. ELEVATED.

Visit [trex.com](http://trex.com) or call 1-800-BUY-TREX



© 2014 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, Trex Transcend®, Trex Enhance®, Trex Select®, Trex Hideaway®, TrexTrim™, Trex Reveal®, Trex Elevations®, Trex® RainEscape®, Trex® LightHub™, Trex® Outdoor Lighting™, Trex® Outdoor Furniture™, Trex® Pergola™ and TrexPro® are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia.